




THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS,  
REWINDERS, UNWINDERS, SLITTERS & COUNTING SOLUTIONS



RRC-330


[labelmate.com](https://labelmate.com)

# Counting solutions

Label counters provide a quick and easy way to **count the number of labels on a roll**.

Off-Line counting can be done with either a **counting package** or a self contained **reel-to-reel unit**. Both units allow you to count the number of labels on a given roll, make large rolls of labels into smaller ones, change the direction of the labels coming off the roll or change to a different core size.

## RRC-330 REEL-TO-REEL COUNTING STATION



RRC-330-STANDARD

- ✓ Stand-alone counting stations with pre-set counter functionality
- ✓ Accepts rolls with a diameter up to 330mm
- ✓ Adjustable Tension setting on the unwind shaft for reliable counting and tight rolls
- ✓ Optional delivered with an ultrasonic sensor for transparent and dark labels
- ✓ Take-up shaft can be the Adjustable Core Holder (ACH) or Quick-Chuck

## FEATURES

- Designed for counting labels with a maximum width of 152 mm.
- 1 Powerful motor, the RRC-units are NOT Bi-Directional
- Max. Speed: 72 CM/SEC at the beginning of a 76 mm core roll, 235 CM/SEC at the end of a 330 mm roll
- Max Label Roll weight: 7 KG
- The STANDARD take-up shaft is a "Quick-Change" shaft to support fast changing of core holder diameter. It comes standard for using cores in 40mm and 76mm. On request available in 38/44/50/70/100 mm. See page 33 "chucks and vanes" for item configuration
- The -ACH take-up shaft employs an adjustable core holder enabling the use of core sizes between 25 and 101 mm
- The CHUCK take-up shaft comes with a "Quick-Chuck" for cores in 76 mm

## DIMENSIONS

- W x D x H: 830 x 330 x 330 mm
- Shipping Weight: 26 KG, depending on configuration and options

## GENERAL

- Limited Warranty of 2 Years, 1 Year on the Power Supply

## RRC-330-COUNTING STATIONS


| P/N               | MODEL              | DESCRIPTION                                                                                                                                                      |
|-------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LMC001            | RRC-330-STANDARD   | Reel-to-Reel Counting Station with Standard Take-up shaft. Unwind and rewind on cores of 40 & 76mm. (other diameters available on demand: 38/44/50/70/100 mm)    |
| LMC002            | RRC-330-ACH        | Reel-to-Reel Counting Station with Adjustable Take-up shaft for rewinding on cores between 25 and 101 mm diameter                                                |
| LMC010            | RRC-330-CHUCK      | Reel-to-Reel Counting Station with Quick-Chuck take-up shaft for rewinding on cores of 76mm (other diameters available on demand) , max label width <b>170mm</b> |
| LMC010/<br>LMX484 | RRC-330-CHUCK-220  | Reel-to-Reel Counting Station with Quick-Chuck take-up shaft for rewinding on cores of 76mm (other diameters available on demand) , max label width <b>220mm</b> |
| LMC003            | RRC-330-U-STANDARD | Standard model with Ultrasonic Sensor mounted on adjustable bracket. For counting transparent, black and special shaped labels                                   |
| LMC004            | RRC-330-U-ACH      | ACH model with Ultrasonic Sensor mounted on adjustable bracket. For counting transparent, black and special shaped labels                                        |
| LMC011            | RRC-330-U-CHUCK    | CHUCK model with Ultrasonic Sensor mounted on adjustable bracket. For counting transparent, black and special shaped labels                                      |

## OPTIONS RRC-330

|        |                    |                                                                                                                   |
|--------|--------------------|-------------------------------------------------------------------------------------------------------------------|
| LMX453 | NO COUNTER         | RRC unit without counter for basic reel-to-reel applications                                                      |
| LMX454 | Quick-Change-Shaft | Complete take-up shaft with vanes (not available for unwinding)                                                   |
| LMX452 | ENC-RRC            | Encoder and special counter that can display both number of labels or the measured length of continuous material. |



RRC-330-ACH



RRC-330-U-STANDARD



Your local partner:

**+32 2 375 69 60**  
**[brussels@labelmate.com](mailto:brussels@labelmate.com)**

Bergensesteenweg 78  
1651 Lot (Belgium)

**[www.labelmate.com](http://www.labelmate.com)**



**OFERTĂ RAPIDĂ**

# Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

**OFERTA TA ÎN 3 PAȘI**

01

**Trimite-ne cerința**

Produs, SKU, cantitate sau descrierea aplicației.

02

**Verificăm configurația**

Compatibilitate, accesorii, stoc și termen de livrare.

03

**Primești rapid oferta**

Configurație clară, preț și suport pentru decizie.



**Scanează pentru cererea de ofertă**

[autoid.ro/contact](https://autoid.ro/contact)

**CERE OFERTĂ**

**08008 288 643**

**[contact@autoid.ro](mailto:contact@autoid.ro)**

**L-V 9:00 - 17:00**