




THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS,
REWINDERS, UNWINDERS, SLITTERS & COUNTING SOLUTIONS



UNPOWERED UNWINDERS

UCAT-S

UCAT-S-MINI


labelmate.com

Unpowered Label Unwinders

UCAT-S-MINI & UCAT-S

Label unwinders provide a convenient way to **manage your supply roll of labels** as it feeds into a printer. You can use larger rolls of labels to minimize your unit label cost. The supply roll of labels does not have to be refreshed as often, **saving time and adding convenience**. External label rolls are always visible, making it easy to monitor the status of your label supply.

- ✓ Small footprint to fit on any desk
- ✓ Easy setup: attach the labels to the take-up core and ready to start
- ✓ The UCAT-S-MINI features a wearless brake to stop the roll at the end of job
- ✓ The UCAT-S Features adjustable speed/braking to align with printer
- ✓ Large capacity for roll diameters up to 300mm



UCAT-S



UCAT-S-MINI

FEATURES UCAT-S-MINI

- Maximum Label Roll Weight: 4.5 KG
- Maximum Label Width: 125 mm
- Maximum Roll Diameter: 220 mm
- Maximum Speed: 50 CM/SEC at the beginning of a 76 mm core roll
- Dimensions : W x D x H : 220 x 305 x 195

FEATURES UCAT-S

- Maximum Label Roll Weight: 8 KG
- Maximum Label Width: 155 mm
- Maximum Roll Diameter: 300 mm
- Maximum Speed: same as printer
- Dimensions : W x D x H : 300 x 365 x 320mm

UNPOWERED UNWINDERS

P/N	MODEL	DESCRIPTION	MAX LABEL WIDTH (mm)	MAX ROLL DIAM (mm)	MAX WEIGHT
LMU014	UCAT-S-MINI	Unwinder with mechanical brake. Standard for 76mm cores (38/40/44/70/100mm available)	125	220	4.5 KG
LMU001	UCAT-S	Unwinder with Adjustable Brake. Standard for 76mm cores (38/40/44/50/70/100mm available)	155	300	8 KG

OPTIONS

P/N	MODEL	DESCRIPTION
LMX579	UNIVERSAL- ALIGNMENT PLATE for any desktop Thermal Transfer and Inkjet color printer	

VANES


P/N	MODEL	DESCRIPTION
LMX493	VANES 38	Set of 3 vanes (fins) for 38 mm cores.
LMX494	VANES 40	Set of 3 vanes (fins) for 40 mm cores.
LMX495	VANES 44	Set of 3 vanes (fins) for 44 mm cores.
LMX496	VANES 50	Set of 3 vanes (fins) for 50 mm cores.
LMX497	VANES 70	Set of 3 vanes (fins) for 70 mm cores.
LMX498	VANES 76	Set of 3 vanes (fins) for 76 mm cores.
LMX499	VANES 100	Set of 3 vanes (fins) for 100 mm cores.

GENERAL

- Power Supply: 100-240V- 50Hz, Output 15VDC-4,33A
- Limited Warranty of 2 Years, 1 Year on the Power Supply



Your local partner:



+32 2 375 69 60

brussels@labelmate.com

Bergensesteenweg 78
1651 Lot (Belgium)

www.labelmate.com



OFERTĂ RAPIDĂ

Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

OFERTA TA ÎN 3 PAȘI

01

Trimite-ne cerința

Produs, SKU, cantitate sau descrierea aplicației.

02

Verificăm configurația

Compatibilitate, accesorii, stoc și termen de livrare.

03

Primești rapid oferta

Configurație clară, preț și suport pentru decizie.



Scanează pentru cererea de ofertă

autoid.ro/contact

CERE OFERTĂ

08008 288 643

contact@autoid.ro

L-V 9:00 - 17:00