





THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS,
REWINDERS, UNWINDERS, SLITTERS & COUNTING SOLUTIONS



LABEL REWINDER ZCAT-6/8/10

Label rewinder

The ideal solution for colour inkjet printers that back feed as well for customers with a strong focus on print quality (300 or 600 dpi applications) and RFID printing applications.



- ✓ A free-hanging "loop" of label stock is created between the printer and the Tensioning Roller thereby eliminating all tension on the paper path & printer
- ✓ A special chassis-mounted adjustable sensor starts and stops the Rewinder based on the optimum depth of the loop.
- ✓ Large capacity for roll diameters up to 300mm
- ✓ Rubber Platen Roller provides adjustable tension for tight finished rolls.
- ✓ Handles labels up to 170, 220 or 255mm wide
- ✓ Available in left to right or right to left rewind direction
- ✓ Speed up to 125cm/sec, supporting fastest printers on the market

FEATURES

- Adjustable sensor supports customising the depth of the loop and distance between rewinder and printer
- Adjustable Tension on the Rubber Platen Roller provides perfect and tight finished label rolls. This makes the ZCAT Highly recommended for customers using label rolls afterwards in automatic label applicators
- Comes with a quick-locking "Quick-Chuck" permitting the fastest loading and unloading of cores and label rolls
- Comes standard for using cores in 76mm. On request available in 38/40/44/70/100 mm. See page 33 "chucks and vanes" for item configuration
- Settings for Torque/speed and direction via the Control Panel
- ZCAT with custom build heavy-duty & silent motor. Max. Speed: 125 CM/SEC at the beginning of a 76 mm core roll
- Bi-directional for internal & external rewinding
- Max Label Roll weight: 9Kg

GENERAL


- Power Supply: 100-240VAC- 50Hz, Output 15VDC-4,33A
- Limited Warranty of 2 Years, extendable to 5 Years, 1 Year on the Power Supply

DIMENSIONS


- W x D x H: 483 x 381 x 400 mm
- Shipping Weight: 36 KG, shipped in wooden crates

ZCAT-MODELS

P/N	MODEL	DESCRIPTION	MAX LABEL WIDTH
LMR035	ZCAT-6-R/L	Right to Left paper path, for Thermal Transfer printers and colour printers (EPSON, TSC, Primera,OKI,...)	170 mm
LMR036	ZCAT-6-L/R	Left to Right paper path, for colour printers based on Memjet engines (VIP, Affinia,...)	170 mm
LMR037	ZCAT-8-R/L	Right to Left paper path, for Thermal Transfer printers and colour printers (EPSON, TSC, Primera,OKI,...)	220 mm
LMR038	ZCAT-8-L/R	Left to Right paper path, for colour printers based on Memjet engines (VIP, Affinia,...)	220 mm
LMR039	ZCAT-10-R/L	Right to Left paper path, for Thermal Transfer printers and colour printers (EPSON, TSC, Primera,OKI,...)	255 mm
LMR040	ZCAT-10-L/R	Left to Right paper path, for colour printers based on Memjet engines (VIP, Affinia,...)	255 mm



ZCAT-R/L MODEL




ZCAT-L/R MODEL

ZCAT-OPTIONS

P/N	MODEL	DESCRIPTION
LMX579	UNIVERSAL- ALIGNMENT PLATE	for any desktop Thermal Transfer and Inkjet color printer
LMX580	ALIGNMENT PLATE	for EPSON C7500
LMX508	Optional 300 mm outer Flange	for Quick-Chuck 76 mm
LMX549	PC-4	Optional 6-digit pre-set Counter. Allows to count labels or show instantaneous web speed. Factory installed.**
LMX553	6" PAPER LOOP GUIDE	6" Paper-loop-guide: for guiding thick or curling media into a loop for ZCAT 6
LMX554	8" PAPER LOOP GUIDE	8" Paper-loop-guide: for guiding thick or curling media into a loop for ZCAT8/10



Your local partner:



+32 2 375 69 60

brussels@labelmate.com

Bergensesteenweg 78
1651 Lot (Belgium)

www.labelmate.com



OFERTĂ RAPIDĂ

Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

OFERTA TA ÎN 3 PAȘI

01

Trimite-ne cerința

Produs, SKU, cantitate sau descrierea aplicației.

02

Verificăm configurația

Compatibilitate, accesorii, stoc și termen de livrare.

03

Primești rapid oferta

Configurație clară, preț și suport pentru decizie.



Scanează pentru cererea de ofertă

autoid.ro/contact

CERE OFERTĂ

08008 288 643

contact@autoid.ro

L-V 9:00 - 17:00