

Smart Kiosk Terminal

SUNMI K2 Retail Version*

Modernize your customer self-service experience.



Floor-Standing/Wall-Mounted

Four Versions Available

Retail, Restaurant, Scalable and Extendable.

Elegant, yet Powerful

Built-in NFC capabilities of devices to provide a secure, flexible, and cost-effective solution for accepting contactless payments. NFC technology enables fast and efficient transactions, providing a seamless payment experience for customers.

Flagship Performance

High performance octa-core 6nm processor, up to 2.7Ghz. Equipped with large-capacity memory of 6GB RAM+128GB ROM.

Modular Design

The modular design offers K2 flexibility and scalability to be more industry-tailored. Modules for ID card reading and medical card reading, among other modules, can be added.


Bank Card Payment

Combine a SUNMI P series product with the kiosk to accept bank card payments.

*POS terminal holders are customizable.

Please contact SUNMI sales reps for details.

* 1. To explore more kiosks, please visit: www.sunmi.com



Smart Kiosk Terminal

SUNMI K2 Restaurant Version*

Modernize your customer self-service experience.

Powered by
SUNMI OS

Compatible with
SUNMI DMP



Floor-Standing/Wall-Mounted

Four Versions Available

Retail, Restaurant, Scalable and Extendable.

Elegant, yet Powerful

Built-in NFC capabilities of devices to provide a secure, flexible, and cost-effective solution for accepting contactless payments. NFC technology enables fast and efficient transactions, providing a seamless payment experience for customers.

Flagship Performance

High performance octa-core 6nm processor, up to 2.7Ghz. Equipped with large-capacity memory of 6GB RAM+128GB ROM.

Modular Design

The modular design offers K2 flexibility and scalability to be more industry-tailored. Modules for ID card reading and medical card reading, among other modules, can be added.

Bank Card Payment

Combine a SUNMI P series product with the kiosk to accept bank card payments.

*POS terminal holders are customizable.


Please contact SUNMI sales reps for details.



* 1. To explore more kiosks, please visit: www.sunmi.com



NLS-EM20 Scanner for mobile barcode reading



3-in-1 NFC Card (EMID/M1/CPU) Reader



Floor-Standing (No Table)

Smart Kiosk Terminal

SUNMI K2 Scalable Version*

Modernize your customer self-service experience.

Floor-Standing/Wall-Mounted

Four Versions Available

Retail, Restaurant, Scalable and Extendable.

Elegant, and Practical

Concise style, slim body.

Gain a better visual and use experience with a 24" FHD 10-point capacitive touch screen.

Modular Design

The modular design offers K2 flexibility and scalability to be more industry-tailored. Modules for ID card reading and medical card reading, among other modules, can be added.

Bank Card Payment

Combine a SUNMI P series product with the kiosk to accept bank card payments.

*POS terminal holders are customizable.


Please contact SUNMI sales reps for details.



* 1. To explore more kiosks, please visit: www.sunmi.com



SM-S100W Barcode Scanner



3-in-1 NFC Card (EMID/M1/CPU) Reader (Optional)



Floor-Standing (Scalable)

Smart Kiosk Terminal

SUNMI K2 Extendable Version*

Modernize your customer self-service experience.

Floor-Standing/Wall-Mounted

Four Versions Available

Retail, Restaurant, Scalable and Extendable.

Elegant, and Practical

Concise style, slim body.

Gain a better visual and use experience with a 24" FHD 10-point capacitive touch screen.

Modular Design

The modular design offers K2 flexibility and scalability to be more industry-tailored. Modules for ID card reading and medical card reading, among other modules, can be added.

Bank Card Payment

Combine a SUNMI P series product with the kiosk to accept bank card payments.

*POS terminal holders are customizable.


Please contact SUNMI sales reps for details.



* 1. To explore more kiosks, please visit: www.sunmi.com



SM-S100W Barcode Scanner



3-in-1 NFC Card (EMID/M1/CPU) Reader (Optional)



Expanded Cabinet (Customizable)




SUNMI K2

Basic Kiosk Specs

Product Model Config 1: F4E02 Config 2/3: F4E00	OS SUNMI OS Config 1: based on Android 13 Config 2: based on Android 9 Config 3: based on Android 7	Processor Config 1: Kyro-670 Qualcomm octa-core up to 2.7GHz Config 2/3: Hexa-core(Dual Cortex-A72+ Quad Cortex-A53) processor, 1.8GHz	Memory Config 1: 6G RAM+128G ROM Config 2: 4G RAM+32G ROM Config 3: 4G RAM+16G ROM	Display 23.8" FHD, 1920*1080 Capacitive multi-touch screen
Camera (Optional) 3D facial recognition camera	Scanner Support 1D/2D mobile and printed barcodes or support 1D/2D mobile barcodes	Printer Built-in 80-column thermal printer with auto cutter Print speed: 250mm/s; Paper roll:φ80mm Support 58mm width thermal paper(optional)	PSAM Card Slot (Optional) 1* PSAM	
NFC Reader Config 1: Support Mifare 1 card(S50,S70) and ISO 14443A CPU card Config 2/3: Support ID card, Mifare 1 card(S50,S70) and ISO 14443A CPU card	Buttons 1*Power on/off button (lock screen button)	Bluetooth Bluetooth 2.1/3.0/4.2 BLE	Wi-Fi Config 1: 2.4GHz/5GHz/6GHz IEEE 802.11 a/b/g/n/ac/ax Config 2/3: 2.4GHz/5GHz IEEE 802.11 a/b/g/n	Power Adapter Input: AC100~120V/AC200~240V Output: DC 12V/24V
LAN 100/1000M Self-adaptive	External Memory 1* MicroSD (TF), up to 128G	Ports 5*USB TypeA port, 1*Rj45 LAN port, 1*Audio Jack, 1*Micro USB debug port, 1*HDMI port	Environment Operating temp.: 0 ~ 40°C; Storage temp.: -20°C ~ 55°C	
Speaker 2*3W	MIC 1* MIC	Indicator Light 7 colors	Accessories NFC, POS bracket, shopping bag hanger	

Item Dimensions & Weights

Main unit: Dimensions: 394mm wide× 171mm deep × 920mm high; Net weight:16.5kg

Retail (58kg)  Height: 1850mm Depth: 645mm Width: 1018mm	Restaurant (45kg)  Height: 1850mm Depth: 490mm Width: 540mm	Scalable (50kg)  Height: 1810mm Depth: 490mm Width: 540mm	Wall-Mounted (16.5kg)  Height: 1017mm Depth: 171mm Width : 394mm
--	---	---	--

Shipping Dimensions & Weights

Retail Gross weight (package incl.): 77kg Main unit package (W×D×H): 1110mm × 523mm × 371mm, weight: 21.5kg Pedestal package (W×D×H): 1110mm× 523mm× 250mm, weight: 17kg Table package (W×D×H): 1110mm× 523mm× 305mm, weight: 18kg Base plate package (W×D×H): 666mm × 510mm × 40mm, weight: 20.5kg	Restaurant Gross weight (package incl.): 55kg Main unit package (W×D×H): 1110mm × 523mm × 371mm, weight: 21.5kg Pedestal package (W×D×H): 968mm× 495mm× 250mm, weight: 16.5kg Base plate package (W×D×H): 556mm × 510mm × 40mm, weight: 17kg
Scalable Gross weight (package incl.): 59kg Main unit package (W×D×H): 1110mm× 523mm× 371mm, weight: 21.5kg Pedestal package (W×D×H): 968mm× 495mm× 266mm, weight: 19.5kg Base plate package (W×D×H): 556mm × 510mm × 40mm, weight: 17kg	Wall-Mounted Gross weight (package incl.): 24kg Main unit package (W×D×H): 1110mm× 523mm× 371mm, weight: 21.5kg Mount package (W×D×H): 366mm × 315mm × 37mm, weight: 2.5kg (the mount is packed in the main unit package for shipping)



OFERTĂ RAPIDĂ

Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

OFERTA TA ÎN 3 PAȘI

01

Trimite-ne cerința

Produs, SKU, cantitate sau descrierea aplicației.

02

Verificăm configurația

Compatibilitate, accesorii, stoc și termen de livrare.

03

Primești rapid oferta

Configurație clară, preț și suport pentru decizie.



Scanează pentru cererea de ofertă

autoid.ro/contact

CERE OFERTĂ

08008 288 643

contact@autoid.ro

L-V 9:00 - 17:00