

# SUNMI M2 MAX Smart Mobile Terminal

A rugged tablet built to improve your store operations.

## Rugged

Featuring IP65 and 1m drop, M2 MAX can stand up challenges in working environments;  
The Corning Gorilla Glass used in its 10.1" HD screen is more resistant to scratches and abrasions during use.

## Smooth Operations

Equipped with a high-performance octa-core processor and large memory, it can run multiple tasks smoothly.

## Long Run Time

With a built-in 8360mAh battery, it can work 12 hours continuously or stand by for 20 days.

## Highly Flexible

Optional accessories for M2 MAX include hand strap and cradle, only to meet your needs in more business scenarios.



\*Scanner Version: The scanner is non-removable.

High performance octa-core processor

IP65

10.1"

FHD screen

NFC

PSAM

Dual-band Wi-Fi

2.4G/5G

1M Drop spec\*

3GB+32GB (4GB+64GB)

8360mAh

Corning Gorilla Glass3

Large capacity battery

SUNMI M2 MAX Tech Specs

|                                                                                                            |                                                                                                                     |                                                                                            |                                                                                     |                                                                                          |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Product Model</b><br>Config 1: TF700 (Wi-Fi Ver.)<br>Config 2: TF701 (4G Ver.)                          | <b>OS</b><br>SUNMI OS<br>(*based on Android 9.0)                                                                    | <b>Processor</b><br>Kryo-260 octa-core,<br>2.2GHz                                          | <b>Memory</b><br>Config 1:<br>3GB RAM + 32GB ROM<br>Config 2:<br>4GB RAM + 64GB ROM | <b>Display</b><br>10.1" FHD, 1920*1200<br>Capacitive multi-touch                         |
| <b>Camera</b><br>Front: 5MP FF<br>Rear:<br>13MP, Flash, AF<br>1D/2D barcode reading                        | <b>NFC Reader</b><br>Type A & B card, Mifare card<br>FeliCa card.<br>ISO/IEC 14443, ISO15693<br>standards compliant | <b>Speaker</b><br>2* 1W                                                                    | <b>PSAM Card Slot</b><br>1* PSAM                                                    | <b>vSIM</b><br>Supports vSIM (Config 2)                                                  |
| <b>SIM Card Slot</b><br>1*MicroSD (TF) (Config 1)<br>2* NANO SIM OR 1* NANO SIM+1* MicroSD (TF) (Config 2) |                                                                                                                     | <b>Network</b><br>2G & 3G & 4G                                                             | <b>Wi-Fi</b><br>2.4GHz/5GHz<br>IEEE 802.11a/b/g/n/ac                                | <b>Bluetooth</b><br>Bluetooth 5.0<br>BLE                                                 |
| <b>GPS</b><br>AGPS<br>GPS/Glonass/Beidou<br>(Config 2)                                                     | <b>Sensors</b><br>Gravity sensor, light sensor,<br>compass sensor,<br>hall sensor.                                  | <b>Buttons</b><br>1* Power on/off button<br>(lock screen button)<br>2* Volume (+/-) button | <b>MIC</b><br>2* MIC                                                                | <b>Ports</b><br>1* Type-C, OTG supported<br>1* Audio Jack,<br>supports POGO Pin          |
| <b>Battery</b><br>Nonremovable LiPo battery<br>3.85V/8360mAh                                               | <b>Power Adapter</b><br>Input: AC 100~240V<br>Output: DC 5V/2A                                                      | <b>Dimensions (L*W*H)</b><br>245.6*164.4*9.9mm<br>(thinnest)                               | <b>Weight</b><br>Standard Version: 673g<br>Scanner Version: 735g                    | <b>Protection Ratings</b><br>IP65<br>1.0m drop spec<br>*Data from SUNMI Lab.             |
| <b>Environment</b><br>Operating temp.: -20°C~55°C<br>Storage temp.: -40°C ~ 70°C                           | <b>Accessories</b><br>hand strap<br>charging and extendable cradle (optional)<br>protective case (optional)         |                                                                                            |                                                                                     | <b>Scanner</b><br>Professional 2D scan engine<br>(*Only supported by scanner<br>version) |



**OFERTĂ RAPIDĂ**

# Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

**OFERTA TA ÎN 3 PAȘI**

01

**Trimite-ne cerința**

Produs, SKU, cantitate sau descrierea aplicației.

02

**Verificăm configurația**

Compatibilitate, accesorii, stoc și termen de livrare.

03

**Primești rapid oferta**

Configurație clară, preț și suport pentru decizie.



**Scanează pentru cererea de ofertă**

[autoid.ro/contact](https://autoid.ro/contact)

**CERE OFERTĂ**

**08008 288 643**

**[contact@autoid.ro](mailto:contact@autoid.ro)**

**L-V 9:00 - 17:00**