

15.6"

Main, 15.6" FHD
1920*1080

**15.6" + 10.1"**

Main: 15.6" FHD
1920*1080
Second: 10.1" HD
1024*600

**15.6" + 15.6"**

Main: 15.6" FHD
1920*1080
Second: 15.6" FHD
1920*1080



SUNMI T2s Tech Specs

Model Approved

Config 1: L1561 (Single-Display Version)
Config 2: L1562 (Dual-Display (small + big) Version))
Config 3: L1563 (Dual-Display (big + big) Version)

OS

Android 9.0
SUNMI OS

CPU

Kryo-260, Octa-core
up to 2.2GHz

Memory

32GB ROM+3GB RAM
64GB ROM+4GB RAM
(optional)

Camera

Face Recognition camera
or normal camera
(only for configuraion 2&3)

Display

Config 1: Main, 15.6" FHD, 1920*1080
Capacitive Touch Screen
Config 2: Main: 15.6" FHD, 1920*1080
Capacitive Touch Screen
Sub: 10.1" HD, 1024*600
Capacitive Touch Screen
Config 3: Main: 15.6" FHD, 1920*1080
Capacitive Touch Screen
Sub: 15.6" FHD, 1920*1080
Capacitive Touch Screen

Printer

Paper roll width: 80mm
Diameter: 80mm
Speed: 250mm/s
Support Automatic Cutter

Speaker

1* 1.2W

SIM Card Slot

1* Micro SIM (optional)

Network

2G&3G&4G (optional)

Wi-Fi

2.4G/5.0GHz
IEEE 802.11 a/b/g/n /ac

Bluetooth

BT2.1/3.0/4.0/5.0
BLE

LAN

LAN 100M

Buttons

1* power button
2* volumn button

External Storage Card

Support Micro SD (TF)
Up to 64GB

Interface

5* USB TypeA, 1* RJ11 Serial port
1* RJ12 Cash drawer port, 1* RJ45 LAN port
1* Audio jack, 1* Power port, 1* Micro-USB (debug)

Power Adapter

Input: AC100~240V/1.7A
Output: DC24V/2.5A

Dimensions

407*382*232mm (max)

Weight

Config 1: 5.1 Kg
Config 2: 5.7 Kg
Config 3: 7.4 Kg

Environment

Operating temperature: 0°C ~ 40°C
Storage temperature: -20°C ~ 60°C

1.The usable memory may be less than the installed memory.
2.All specifications are subject to change without (prior) notice.

SUNMI T2s Desktop POS New

Pursuit of excellence, performance breakthrough.



Performance breakthroughs on your fingertips.

High performance octa-core processor, up to 2.2Ghz. Equipped with large-capacity memory of 3GB RAM+32GB ROM, T2s allows you to experience unparalleled operation smoothness.

Unique printing technology, improved printing efficiency.

T2s adopts an 80mm thermal printer with a print speed up to 250mm/s, which has employed SUNMI's unique printing technology to smooth your printing.

Anti-interference touch screen.

To realize your demand on worry-free dual-display interaction, we employ an industrial-grade touch chip which is more resistant to EMI. You can feel free to use T2s even near high-power devices.

Better visual experience

The 15.6" 1920×1080 main display has a multitouch screen, and 2 secondary display options (15.6", 10.1") are open for your choice.



Optional Accessories



NFC&MSR Card Reader

For NFC card reading and magnetic stripe card reading.





OFERTĂ RAPIDĂ

Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

OFERTA TA ÎN 3 PAȘI

01

Trimite-ne cerința

Produs, SKU, cantitate sau descrierea aplicației.

02

Verificăm configurația

Compatibilitate, accesorii, stoc și termen de livrare.

03

Primești rapid oferta

Configurație clară, preț și suport pentru decizie.



Scanează pentru cererea de ofertă

autoid.ro/contact

CERE OFERTĂ

08008 288 643

contact@autoid.ro

L-V 9:00 - 17:00