

Smart Desktop Terminal

SUNMI T3

Upcoming

Power meets elegance at your counter.



Google
Mobile
Services



- **Powerful performance.**

Enjoy a 20% performance boost, with a Qualcomm octa-core processor offering a clock speed up to 2.4GHz and built with a 6nm process technology, along with 4GB RAM+64GB ROM of robust memory.

- **Sleek Z shape design.**

The standout Z-shaped design offers elegance from every angle. A metal die-casting process provides a slim yet sturdy body. The hidden cable system keeps your workspace organized and clutter-free.

- **Enhanced user experience.**

Triple displays provide versatile content presentation and seamless multi-screen integration. The NFC readers on two sides of the screen simplify membership management. The power button features fingerprint recognition for instant unlocking and secure app access.

Elegant design,
consistent style.



20%

performance boost.

Powered by Qualcomm



*Data from SUNMI Lab.

Triple the content you
want to display.



Adjustable
main display.



Multiple ports for
versatile connectivity.



SUNMI T3 Application Scenario



Restaurant



Hotel Reception



Beverage Store

SUNMI T3 Tech Specs

Processor Qualcomm Kryo 265 octa-core up to 2.4GHz	OS SUNMI OS (based on Android 13) GMS (Optional)	Memory 4GB RAM+64GB ROM	Display 15.6" FHD 1920*1080, anti-fingerprint (AF)	Mobile Network Supports 2G & 3G & 4G (optional)
SIM Card Slot 1* Micro SIM (an option for the 4G Version)	Ethernet LAN 1000M	Wi-Fi 2.4GHz & 5GHz IEEE 802.11 a/b/g/n/ac supported	Bluetooth Bluetooth 5.0 supported BLE supported	Camera Front camera, single-lens, 5MP
Card Reader NFC on screen	External Memory 1*MicroSD (TF card) Up to 2TB supported	Speaker & Mic 2* 2W Speaker 1*Mic	Accessories (Optional) 15.6" separate monitor: FHD 1920*1080, capacitive multitouch display; 10.1" separate monitor: HD 1280*800, capacitive multitouch display; MSR Card Reader; Cash drawer mount; 58mm paper guide; Tall rubber feet.	
Ports 3*USB 2.0 Type A port 1*USB 3.0 Type A port 1*USB Type C port 2*Micro USB port	1* Micro-USB debug port 1*RJ45 port 1*RJ11 port 1*RJ12 port 1*DC port	Indicator Light Power indicator light	Buttons 1*Power button (lock screen and fingerprint recognition) 1*Download button (hidden hole)	Power Adapter Input: AC 100~240V/1.7A Output: DC 24V/2.5A
Weight 5.5kg (with package) 3kg (net)	Dimensions 314mm*374mm*170mm	Environment Operating temp.: 0°C~40°C Storage temp.: -20°C~60°C		

*T3 has not been officially launched. Product specifications are subject to the final released version.



OFERTĂ RAPIDĂ

Ai găsit echipamentul potrivit?

Trimite-ne cerințele tale și primești o recomandare configurată pentru aplicația, volumul și bugetul companiei.

OFERTA TA ÎN 3 PAȘI

01

Trimite-ne cerința

Produs, SKU, cantitate sau descrierea aplicației.

02

Verificăm configurația

Compatibilitate, accesorii, stoc și termen de livrare.

03

Primești rapid oferta

Configurație clară, preț și suport pentru decizie.



Scanează pentru cererea de ofertă

autoid.ro/contact

CERE OFERTĂ

08008 288 643

contact@autoid.ro

L-V 9:00 - 17:00